

# TIMBER AGENCY OÜ

## WOOD PRODUCTS WHOLESALE

Sawn timber | Planed wood | Strength graded |  
Glued wood | GLULAM | Impregnated material |  
Construction and building boards | Sauna wood  
| Doors | Oak flooring

Timber Agency OÜ is a wholesaler of a superior quality products from Estonia, a Nordic member country of the European Union. We have been in the business since 2001 and have developed a sales network that guarantees excellent service and best quality to our customers. Our passion to wood and care of environment gives the best end result for cooperation.

All our timber are selected and harvested with love and respect for the places it comes from and the people who bring it to us. Our quality control system is designed to stop any item that exhibits workmanship or materials defects from being shipped to customers.



[www.puidukeskus.ee](http://www.puidukeskus.ee)

### Contact:

Timber Agency OÜ  
Siili 8-21, Tartu, Estonia 50104

email: [info@puidukeskus.ee](mailto:info@puidukeskus.ee)

WEB: [www.puidukeskus.ee](http://www.puidukeskus.ee)

VAT nr: EE101167596






## Impregnated material

Specie: spruce, pine

- 1) Sawn timber
- 2) Planed material
- 3) Decking
- 4) Garden material






### Strength graded material

Specie: spruce, pine

45x95/120/145/170/195/220/245mm

C18/C24

CE certificate





## Planed material

Specie: spruce, pine

### 1) Wall panels for inside use

12/14 x 95/120mm

- Solid wood
- Painted, vaxed



### 2) Wall panels for outside use

18/21 x 95/120/145mm

- Solid wood
- Painted



### 3) S4S

18/21/45 x 45/95/120/145mm;

28 x 45/70/95mm; 32x109mm

- Solid wood
- Painted



### 4) S4S frame material

21x45mm; 42x66mm; 45x45mm

- Solid wood



### 5) Flooring

- Softwood

28x95/120/145mm

- Solid Oak flooring

21x120/140/160/180/200mm





## Sawn timber

Specie: spruce, pine

Quality: ABC, C(VI), SCHAAL (with wane)



ABC



C



SCHAAL

All material is KD 18% and heat treated. Meets the requirements of the Plant Production Inspectorate.





## Glued wood/sheets

Fingerjoint and solid



Glued solid wood panels are relatively new material on market of furniture. On the one part it is traditional solid wood which is out of fashion. On the other part it is material which helps you save time and optimize expenses.



Oak



Beech



Ash



Caucasus oak



Pine



Birch



Cherry



Walnut



Maple



## GLULAM

Lumber species:	Nordic Spruce (picea abies)
Manufacturing:	In accordance with EN 14080 / DIN 1052
Timber grading:	In accordance with EN 14081 / DIN 4074
Finger jointing:	In accordance with EN 14080:2013 / DIN 68140-1
Strength class:	BS11 / GL24; BS14 / GL28; GL32 acc. EN 14080:2013 / DIN 1052
Lumber moisture:	8-15%
Lamella thickness:	Standard 40 mm, can be up to 45 mm
Gluing:	MUF glue, light, non darkening, EN 301 Type 1, weatherproof
Surface quality:	Planed on four sides, chamfered, visual or non visual quality, end trimmed
Lengths:	Up to 13,0 m
Packaging:	In packs, foiled if required.
Inspection report:	In accordance with EN 14080:2013 / DIN 1052-1
External monitoring:	MPA (Stuttgart) Otto-Graf Institut (FMPA)
CE certificate number:	0672-CPR-0465



## Sauna wood

Specie: aspen, alder, thermotreated wood

Wallpanels

- STP 15x90 A



Aspen




Alder



Thermotreated

Boards

- SHP 28x90 A







## Doors



3-layer



Plain/white



Fireproofed



## Building boards



**OSB**



**OSB with T&G**



**Fiber board**



**Chipboard**



**Chipboard with T&G**




**Glued layer panels**



**Plywood**



**Waterproofed plywood**



**Film-plywood**

**Contact:**  
**Timber Agency OÜ**  
**Siili 8-21, Tartu, Estonia 50104**

**email: [info@puidukeskus.ee](mailto:info@puidukeskus.ee)**

**WEB: [www.puidukeskus.ee](http://www.puidukeskus.ee)**

**VAT nr: EE101167596**